

## SYSTEM AND METHOD FOR GATHERING AND STANDARDIZING CUSTOMER PURCHASE INFORMATION FOR TARGET MARKETING

### Field of the Invention

The present invention relates to the field of gathering and standardizing customer purchase information for target marketing to credit card customers.

### Background of the Invention

5 Every business enterprise works to attract new customers and retain existing customers. Various ways of soliciting business are known. Direct mailing is one know method for soliciting business. A business will send mail to a potential customer, offering various goods and services. Direct mailing, however, may suffer from the drawbacks of offering a potential customer goods  
10 or services that are not wanted or needed. Telephone solicitation is another known method. Telephone calls, however, may suffer from the drawback of being considered intrusive by potential customers.

Customer research, including survey information, may assist a marketer in providing services and goods that are wanted. Surveys, however, do not  
15 address the particular needs or wants of an individual customer. Surveys, at best, may identify trends among a group of people, not the wants or needs of an individual consumer.

Customer research may also be used to retain existing customers. A company may obtain feed back from existing customers, thereby enabling the  
20 company to ascertain what product and services customers want, and how existing products and services can be changed. Such customer research,

however, may be difficult to obtain, as it depends upon customers to respond to surveys and/or questions. Meaningful customer feedback may be impractical for companies with large numbers of customers, as the only way to obtain feedback may be by use of telephone calls or direct mailings. Customer  
5 feedback may not indicate information on how to attract new customers.

These and other drawbacks exist.

**Summary of the Invention**

An object of the present invention is to overcome these and other drawbacks in existing systems.

10 Another object of the invention is to provide a system and method for storing and manipulating information relating to individual customer purchases.

Another object of the invention is to provide a system and method for creating an organizational structure to store customer purchase information, where the organizational structure comprises a hierarchy of categories and sub-  
15 categories.

Another object of the invention is to provide a system and method of creating customer preferences based on customer purchase information.

Another object of the invention is to provide a system and method for targeting offers to customers based on customer preferences.

20 Another object of the invention is to provide a system and method for placing customer purchase information in an organizational structure through use of a link file, where the link file comprises a plurality of instructions for

09988291-111901  
T06T1-16288660

Another object of the invention is to provide a system and method for creating a customer preference database, where the customer preference database includes information about a customer preference and score for various categories and sub-categories.

According to another embodiment of the invention, a link file may be created for placing customer purchase information into an organizational structure. A link file may contain a plurality of instructions to a processor. The processor places customer purchase information received from a plurality of different sources, into specific locations within an organizational structure.

## 20 Brief Description of the Drawings

3

Figure 3 illustrates an representation of links found in a like file which  
5 may be used to place customer purchase information according to an  
embodiment of the present invention.

Figure 5 depicts a flow chart representing a method of implementing the  
10 present invention according to an embodiment of the invention.

Figure 6 illustrates a presentation of customer scores within a hierarchical organization structure according to an embodiment of the invention.

The present invention may be used for methods and systems for standardizing customer purchase information for financial institutions, and more particularly credit card issuers. Nonetheless, the characteristics and parameters pertaining to the systems and methods are equally applicable to other systems and methods for standardizing customer purchase information, especially where information is obtained from a variety of separate sources.

4

multiple sources, processing each datum into a standard form, and combining the standardized customer purchase information into a customer preference description. Customer purchase information may comprise any information relevant to creating a customer preference. Customer purchase information  
5 may comprise information about specific transactions by a customer (e.g., amount of purchases, location of purchase, what was purchased, etc.), responses to surveys, background information regarding a customer (e.g., age, occupation, income, etc.) and responses to previous offers and solicitations. Customer purchase information may comprise other information as well.

10       The present invention may further relate computer implemented methods and systems for gathering and standardizing customer purchase information for target marketing to customers. A computer implemented method for standardizing customer purchase information may use a computer system which comprises a storage device for storing the customer purchase  
15 information, and a transaction processor for placing the customer purchase information. The method may include creating an organizational structure. The organizational structure may comprise a number of categories and sub-categories arranged in a hierarchy. Information may be input into the organizational structure, and more specifically, placed in the plurality categories  
20 and the plurality of sub-categories. Customer preferences may be created based on the information in the organizational structure.

Figure 5 illustrates a flowchart according to an embodiment of the present invention. An organizational structure for receiving customer purchase

information is created at step 102. The organizational structure, as will be described in more detail below, may comprise a hierarchical structure of categories and sub-categories.

5 A link file may be created at step 104. According to an embodiment of the invention, a link file may comprise a plurality of instructions governing placement of customer purchase information. A link file may read the various components in the information and place the information in appropriate locations within an organizational structure. According to an embodiment of the invention, creating of a link file may be based on the categories and sub-  
10 categories in an organizational structure. Link files will be described in greater detail below.

At step 106, customer purchase information may be placed within appropriate locations of an organizational structure based on a link file. The information may be placed within appropriate categories and sub-categories of  
15 an organizational structure.

Scores may be generated based on the placement of customer purchase information, at step 110. According to an embodiment of the invention, scores may generated based on the total dollar amount of purchases made by customers for a particular category or sub-category. Generating scores will be  
20 described in greater detail below. Other methods for generating scores may also be used.

A customer preference may be created based on generated scores in step 112. Thus, according to an embodiment of the invention, a customer preference

Using a created customer preferences, at step 114, a customer may be  
5 contacted with offers for goods and services. Offers may include telephone  
calls, direct mailing, e-mail contact, or other methods of contacting a customer.

10      Customer purchase information may be received from a variety of  
sources. Mailing lists may provide customer purchase information. Bureau  
information, such as a credit bureau, may provide initial information about a  
customer. Bureau information may include all outstanding lines of credit of a  
customer, the grantor of a line of credit, the initial amount granted, and the  
15      balance and interest rate for a line of credit. Other information may be included  
in bureau information.

7

manners, based on the products and services to be potentially offered to a customer.

Standardization of customer purchase information allows an entity, such as, for example, a financial institution or a credit card provider, to better meet  
5 the needs of the customer. The more information gathered about a customer, the easier to tailor offers of products and services to what a particular customer really wants or needs.

According to an embodiment of the present invention, data sources relevant to creating customer preferences are determined. A organizational  
10 structure setting forth customer preferences may be created. A link file may direct a processor to translate information from data sources into the organizational thereby allowing customer preferences to be created.

One aspect of the present invention involves an organizational structure, which may have both top-down taxonomy and bottom-up taxonomy. The  
15 organizational structure stores and classifies customer purchase information. According to an embodiment of the invention, an organizational structure may be a hierarchical database.

In a top-down taxonomy, or classification, various categories having a number of sub-categories may be created based on brand and research  
20 information. As illustrated in Fig. 1, a top-down taxonomy may comprise a category labeled "Shopping." The "Shopping" category may be divided into various sub-categories, such as "Department Stores," "Retail Stores," "Specialty Stores," and the like. Sub-categories, in turn, may divided into



5 Particular stores may be further divided among various departments, such as jewelry, cosmetics, men's clothing, women's clothing, and the like. Other levels of sub-categories may be used as needed, according to the level of detail desired for a particular category and the availability of the information.

Customer purchase information may comprise various data regarding a specific purchase. According to an embodiment of the invention, customer purchase information may include data about the dollar amount of a purchase, the city and state where the purchase was made, and the particular store where the purchase was made. Other data may also be included.

A bottom-up taxonomy reviews merchant text strings by merchant category code ("MCC"). Merchant text strings may be text information of a customer purchase. Text information may be a merchant description, the merchant's city, the merchant's state, the amount spent, and other information.

5 An MCC may comprise a numerical code to identify a particular merchant. As various purchases are made, the hierarchical structure is evaluated to ensure that the various categories and sub-categories accurately portray customer purchase information. According to an embodiment of the invention, an iterative process may occur as the top-down preference organization may be continually updated  
10 by the bottom-up preference organization. According to an embodiment of the invention, customer purchase information must reach certain thresholds to be considered for updating the organizational structure. Thus, for example, data must cover at least a one year period and have transaction is excess of one million dollars to be considered for updating the organizational structure. Other  
15 threshold levels may also be used.

In the example of the hierarchical organizational structure above, it may be determined that a large number of purchases are being made which fit under the "Shopping" category, but do not fit under any of the sub-categories currently in use. The organizational structure may be altered to create a new  
20 sub-category labeled to fit the purchases, thereby creating a more accurate structure for determining customer preferences. When modifying the organizational structure, categories and sub-categories may be added, deleted, or merged as appropriate.

According to an embodiment of the invention, a customer preference may be created based on generated scores. A score may be based on customer accounts. All customer accounts may be ordered according to predetermined criteria. Predetermined criteria may include customer purchase information in a particular category or sub-category, such as, for example, the total dollar amount of purchases, the number of interactions or purchases in a particular category or sub-category, or other criteria.

Scoring of a customer preference may be based upon the ordering of the customer accounts. According to an embodiment of the invention, the top 10% of accounts according to the ordering may receive a score of 100, the next lower 10% receive a score of 90, and so on, with the bottom 10% receiving a score of 10. Accounts with a value of zero may receive a score of zero. Other scores may also be used. According to an embodiment of the invention, a customer preference may be created based on scoring of customer accounts. A customer preference may be based on all scores received, e.g., scores for each category and sub-category in the organizational structure. Thus, according to an embodiment of the invention, a customer preference discloses the categories and sub-categories where a score of 90 was received, the categories and sub-categories where a score of 80 was received, etc. Other customer preferences may also be created.

Customer purchase information may be compiled according to various manners. Fig. 2 illustrates one manner in which preference information may be compiled and displayed. A table may be displayed with headings for describing

the information displayed. Headings may include "Title/Description," "Counts," and Percentage." Other headings may also be displayed.

According to an embodiment of the invention, category and sub-category information may be included under the "Title/Description" heading.

5 Categories, such as "Shopping," "Travel," "Fashion," and other categories, may be included under the "Title/Description" heading, with appropriate sub-categories located beneath the "various" categories. In the example of Fig. BB, the sub-categories "Department Store," "Wholesale Clubs," "Grocery," and other sub-categories of "Shopping" may be displayed. Further sub-categories,

10 such as "High Dollar," "Saks<sup>TM</sup>," "Nieman Marcus<sup>TM</sup>," and Bloomingdales<sup>TM</sup> may be displayed. Descriptions of each category or sub-category may be provided where appropriate.

According to an embodiment, the heading "Counts" may be used to count the number of customers that have some activity within a particular

15 category and sub-category. The heading "Percentage" may be used to display the percentage of customers that have some activity with a particular category or sub-category. The count may be for a relevant time frame.

In an embodiment of the invention, the counts may cover a one year period. Other time periods may also be used. Thus, for example, Fig. 2

20 illustrates the "Count" and "Percentage" for various categories and sub-categories. The category Shopping, for example, displays the number 1,478 under the heading "Count." Thus, there are 1,478 customers with at least one activity in the "Shopping" category within the relevant time frame. In the

10

15

20

category and sub-category. Scores for a customer in a particular category or sub-category are indicated under the heading "Score".

Thus, in the example of Figure 6, under the sub-category "Nieman Marcus," Customer A has a score of 90, Customer B has a score of 60, and  
5 Customer C has a score of 30, and Customer C has a score of 30. The scores assigned in the "High \$" sub-category represented the combined customers of all sub-categories included in the "High \$" sub-category. Inclusion of more customers may affect the score a customer receives. For example, according to an embodiment of the invention, scores may be assigned by the total dollar  
10 amount of purchases in a particular category or sub-category. A customer, such as Customer A, might receive a score of 90 for the large dollar amount of purchases at "Nieman Marcus." The Combination of all customers A's purchases at "High \$" stores, plus new customers who spent more money, may result in Customer A only receiving a score of 70 in the "High \$" sub-category.  
15 Customer A's score may raise to an 80 in the "Department Store" sub-category, as customers with lower amounts of purchases are added to the consideration. Other scoring methods may also be used. Other methods for displaying customer purchase information may also be used.

Customer purchase information may be placed within an organizational  
20 structure of the present invention. According to an embodiment of the invention, a link file may be created and used to place customer purchase information within an the organizational structure. A link file may be designed to standardize customer purchase information.

20

According to an embodiment of the invention, operator instructions direct a processor(s) to perform a variety of operations for placing information

within an organizational structure of the present invention. A processor may search a purchase storage device, retrieve specified customer purchase information, and place the retrieved information in an organizational structure of the present invention. Preference code information may indicate the  
5 preference category or sub-category to assign the results of a particular operator instruction. Character instruction information may indicate the number of characters to access, while word-string information may indicate the particular character to access. Other information interaction may also occur.

According to an embodiment of the invention, operator instructions may  
10 instruct a processor to access information from a purchase storage device. Operator instructions may contain a plurality of instructions for a processor. In an embodiment, an operator instruction may include various components, including character matching, word matching, and duration of processing. Other operator components may also be used.

15 According to an embodiment of the invention, character matching components may instruct a processor to search a purchase storage device by various character parameters. Character parameters may include searching column by column in an organizational structure for character matching, searching all of a column for two word matching, searching all of a column but  
20 the first word for matching, and other character parameters.

Word matching components may instruct a processor to search for a specific word in a text-string in the customer purchase database. Word matching may include matching a particular word, matching two words and



searching the entire column, searching for two words but searching all but the first word, and searching for a specific city and/or state. Other word matching instructions may also be used.

Length of processing components may direct a processor to end  
5 processing. According to an embodiment, length of processing instructions may instruct a transaction processor to stop after finding a first match, stop after finding a predetermined number of matches, or look for all matches within a customer purchase database. Other length of processing instructions may also be used.

10 As noted above, a combination of word matching, character matching, and length of processing components may instruct a processor to access information from a purchase storage device. An operator instruction according to an embodiment may instruct a processor to perform a column by column character match for each word found in a description in the purchase storage  
15 device. The character match may be for a specific length, but the first word of the description is not search. Once a match is found, the processing may stop.

According to another embodiment of the invention, an operator instruction may instruct a processor to skip the first word of a description and search the remaining words for two matches. The first word may be matched  
20 for a specific length against all remaining words found in the description. If a match is found, all remaining words are matched against the second word. Processing may be stopped if a match to the two words is found. Other operating instructions may also be used.

Operating instructions may comprise a variety of combinations of word matching, character matching, length of processing, and other information and/or instructions. These combinations will only be limited by the capabilities of the transaction processor and the needs of the user.

5 As illustrated by the example of Fig. 3, operation instructions may be assigned numerical values. By way of example only, 00 may be an operator instruction to began looking under a specific merchant category code. An operator instruction designated by the number "1" may instruct a processor to perform a column by column character match for each word in the description  
10 for a specified length, where processing is stopped if a match is found. According the embodiment illustrated in Fig. 3, the number 99 may designate the operator instruction to stop a processor from accessing any other information from a purchase storage device. Other designations, including text and alphanumeric, may be used to represent operator instructions. As will be  
15 apparent to one of ordinary skill in the art, any number and/or type of operator instructions may be use to access a purchase storage device. The type of operator instruction used may depend upon the processor used and the type of information to be placed in an organizational structure.

Again, as illustrated in the example of Fig. 3, a link may comprise an  
20 operator instruction, preference code information, character information, and word-string information. As explained above, the operator instruction may direct a processor to search a purchase storage device. Preference code information may be used to represent a category or sub-category of an

organizational structure. According to an embodiment of the invention, preference code information in a link may indicate under which category or sub-category information retrieved by the search will be placed.

According to an embodiment of the invention, a character information  
5 and word-string information may interact to provide information to a processor. Character information may instruct a processor to look for a particular number of characters, while the word-string information may instruct a processor regarding which particular characters to search for a purchase storage device.

By way of example only, Fig. 3 illustrates a number of links which may  
10 be used with an embodiment of the present invention. In one example, a link may set forth as:

1      727    05      DELL\_

wherein "1" designates an operator instruction, "727" designates preference code information, "05" designates the character information, and "DELL\_"  
15 designates the word-string information. According to an embodiment of the invention, a "\_" may be used to indicate a space character. Thus, "DELL\_" would not be confused with "DELLCOM". In this example, the operator instruction "1" may instruct the operator to perform a column by column character match for each word in the description for a specified length, where  
20 processing is stopped if a match is found. The number of characters to look for (i.e., the specified length), may be designated within the link by the character information "05". The characters searched for may be designated within the link by the word-string information "DELL\_". Thus, in the present example,

09988291-111901  
T06T-T-76288660

the transaction processor may be instructed to search a purchase storage device for the word-string "DELL\_" for length of 5 characters.

Another example of links may be set forth as:

	6	651	05	"LEVI_"
5	6	651	06	"LEVI'S"
	6	651	06	"LEVIS_"

wherein "6" represents an operator instruction, "651" represents a preference code information, "05" and "06" represent character information, and "LEVI\_", "LEVI'S", and "LEVIS\_" represent word string information. The "6" operator instruction may instruct a processor to perform a character match column by column for the word found in the word-string (in this example, either "LEVI\_", "LEVI'S", or "LEVIS\_"), but not searching the first word in the hierarchical database. The preference code information "651" may apply to the sub-category entitled "Clothing." A processor may search a purchase storage device for 5 or 6 character strings that match the appropriate word-strings, "LEVI\_", "LEVI'S", or "LEVIS\_".

Text descriptions in a purchase storage device may be provided by individual merchants. Descriptions, therefore, may not be uniform between each merchant. According to the embodiment of the preceding example, multiple links may be used to account for non-uniformity of merchant descriptions. In the three link example immediately above, three different links may be used to account for the non-uniformity. One link may search for "LEVI\_", one link may search for "LEVI'S" and a third link may search for

"LEVIS\_". A plurality of links allows for a term to be searched while reducing the probability that information will not be found due to non-uniformity. Other types of links may also be used.

According to an embodiment of the invention, links in a link file may be updated. Links may be updated to account for modifications of the organizational structure, such as deletions, additions and/or merging of categories or sub-categories. Links may also be updated to account for changes in customer purchase information, such as new stores or products. Links may be updated to account for changes in customer purchase information, such as new stores or products. Links may also be updated for other reasons.

Fig. 4 illustrates a system 10 according to an embodiment of the invention. Original offers 12 are sent through a classification tool 16, thereby creating classified offers 16. Various types of customer information 18 is input into a preference engine 20, which may comprise a plurality of processors 22.

According to an embodiment of the invention, each type of customer information 18 has a separate processor 22. Customer information 18, as described above, may include previous credit card transactions, customer profiles, customer applications, and other information. Customer information 18 is sorted into a preference database 24, which may comprise a plurality of output databases 26. According to an embodiment of the invention, output from each processor 22 is placed into a separate output database 26. Relevant customer information is combined into customer accounts in an account database 28. A match engine 30 combines relevant customer information from

the account database 28 and classified offers 16 to form a match table 32. Match table 32 may rank various classified offers with respect to each account.

It will be appreciated by those of ordinary skill in the art that the system for implementing the present invention may comprise a variety of different components and/or configurations. Separate devices may be used to implement each function. According to an embodiment of the invention, a computer processing unit may be configured to implement the various aspects of the invention. Other components, configurations, or combinations thereof may also be used.

10       The present invention has been described in reference to customer purchase information received from credit card transactions. Customer purchase information, however, may come from a variety of sources. In particular, customer purchase information may be received from debit card purchases, check purchases, and other types of purchases where information  
15       may be gathered.

According to another embodiment of the present invention, a computer usable medium having computer readable program code embodied therein for presenting table information in portions may be provided. For example, the computer usable medium may comprise a CD ROM, a floppy disk, a hard disk,  
20       or any other computer usable medium. One or more of the aspects of a system according to the present invention may comprise readable program code that is provided on the computer usable medium such that when the computer usable

medium is installed on a computer system, those modules cause the computer system to perform the functions described.

These and other embodiments and uses of the invention will be apparent to those skilled in the art from consideration of the specification and practice of the invention disclosed herein. The specification and examples should be considered exemplary only. The scope of the invention is only limited by the claims appended hereto.